Supplementary Table 2. Original and multiple-imputation analyses of associations between prenatal metal mixture exposure and child growth outcomes: results from WQS and BKMR

Outcome	Original estimate (%)	Original 95% CI: lower	Original 95% CI: upper	MI estimate (%)	MI 95% CI: lower	MI 95% CI: upper	*p*
WQS							
Weight at 6 months	-0.27	-0.60	0.06	-0.29	-0.62	0.04	0.082
Weight at 12 months	0.13	-0.15	0.42	0.05	-0.22	0.33	0.718
Weight at 24 months	0.08	-0.19	0.35	0.07	-0.18	0.31	0.598
Head circumference at 6 months	-0.18	-0.26	-0.09	-0.18	-0.26	-0.09	<0.001
Head circumference at 12 months	-0.12	-0.21	-0.03	-0.13	-0.22	-0.05	0.001
Head circumference at 24 months	-0.10	-0.19	-0.01	-0.13	-0.21	-0.05	0.003
BKMR							
Weight at 6 months	-0.08	-1.14	0.99	-0.18	-0.02	0.01	0.388
Weight at 12 months	-0.04	-1.12	1.04	0.05	-0.01	0.01	0.654
Weight at 24 months	-0.15	-0.91	0.62	0.04	-0.01	0.01	0.820
Head circumference at 6 months	-1.03	-1.43	-0.63	-0.92	-0.02	-0.00	0.010
Head circumference at 12 months	-0.90	-1.28	-0.52	-0.49	-0.02	0.01	0.109
Head circumference at 24 months	-0.48	-0.85	-0.10	-0.15	-0.02	0.02	0.368

WQS, weighted quantile sum; BKMR, Bayesian kernel machine regression; CI, confidence interval; MI, multiple imputation.